

# DETECTAMET

## Safety Data Sheet

Document Reference	565
Date of Issue	22 <sup>nd</sup> Apr 2025
Revision Number	001
Date of Last Revision	22 <sup>nd</sup> Apr 2025

### 565 Stainless Steel Funnel



#### Technical Data Sheet Applicable To:

565-T161-P32-S410	Stainless Steel Funnel 20ml
565-T161-P32-S411	Stainless Steel Funnel 100ml
565-T161-P32-S412	Stainless Steel Funnel 250ml
565-T161-P32-S413	Stainless Steel Funnel 400ml
565-T161-P32-S414	Stainless Steel Funnel 1000ml
565-T161-P32-S415	Stainless Steel Funnel 2000ml

#### Industry Usage:

These 304 grade stainless steel funnels are ideal for food processing applications

#### Features and Benefits:

- Manufactured from 304 Stainless Steel
- NSF/ANSI Certified
- Hanging loop (20ml (0.68 fl oz) funnel without loop)

## Material and Compliance information:

### Sizing Chart

Part No.	Nozzle Diameter	Height	Inside Diameter	Litre	Spout Length
565-T161-P32-S410	0.7cm / 0.28"	6.5cm / 2.56"	4.5cm / 1.77"	0.02L / 0.68 fl oz	2.9cm / 1.14"
565-T161-P32-S411	1.3cm / 0.51"	12cm / 4.72"	9cm / 3.54"	0.1L / 3.38 fl oz	5.9cm / 2.32"
565-T161-P32-S412	1.3cm / 0.51"	13.5cm / 5.31"	11cm / 4.33"	0.25L / 8.45 fl oz	4.1cm / 1.61"
565-T161-P32-S413	2.2cm / 0.87"	16.5cm / 6.5"	14cm / 5.51"	0.4L / 13.53 fl oz	3.8cm / 1.50"
565-T161-P32-S414	2.2cm / 0.87"	20cm / 7.87"	19cm / 7.48"	1L / 33.81 fl oz	7.0cm / 2.76"
565-T161-P32-S415	2.2cm / 0.87"	23cm / 9.06"	23cm / 9.06"	2L / 67.63 fl oz	7.2cm / 2.83"

*\*No warranty is given or implied with respect to this information or patent infringement. Detectamet Ltd do not accept liability for loss or damage arising from the use of this information. Results are based on a test sample, our general experience and information from suppliers. Data and results may be confirmed by the buyer by testing for its intended conditions of use.\**

Safety You Detect

[detectamet.global](https://detectamet.global)

